

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE  
(Case No. 00-1123-A)

In application of:	)	
Cunningham	)	
	)	Examiner: Snay
U.S. Patent No. 7,118,710	)	
	)	Group Art Unit: 1743
Filed: August 15, 2001	)	
	)	Conf. No. 1655
For: Label-Free High-Throughput Optical	)	
Technique for Detecting Biomolecular	)	
Interactions	)	

**REQUEST FOR CERTIFICATE OF CORRECTION OF OFFICE MISTAKE**  
**UNDER 37 CFR § 1.322**

Commissioner for Patents  
Office of Patent Publication  
Attn: Certificate of Correction Branch  
P.O. Box 1450  
Alexandria, VA 22313-1450

Dear Sir:

Patentees respectfully request correction of a misspelling of the term "colorimetric" in the above-mentioned patent. This misspelling was not present in the text of the specification as filed, and appears to be an Office error. Form PTO/SB/44, which specifies the location of the misspelling, is attached.

It is believed that no fee is due in connection with this filing; however, if a fee is due the Commissioner is authorized to charge our Deposit Account 13-2490.

Respectfully submitted,

Date: August 22, 2008

/Lisa M.W. Hillman/  
Lisa M.W. Hillman, Ph.D  
Registration No. 43,673